

The new **Elevate** and **FreeGlide** ranges from Impey



A smarter
specification
of half-height
shower doors



impey
THE WETROOM SPECIALIST

Shower Doors

Outstanding half height
shower door solutions
for every care sector
installation

Impey shower doors - the best in the industry.

They set the industry benchmark since 1990 and now they're an even smarter choice to specify.

Designed, developed and manufactured by Impey in the UK, the new ranges provide outstanding innovative features for both user and carer and those in the care sector - from Occupational Therapists specifying for private and sheltered homes to Technical Officers looking for quality and affordability when pricing for care homes and new builds.

There is no better half height shower door.

Impey provide
everything you
need for a high
quality wetroom
Installation

Solutions to suit
every healthcare
installation,
improving the lives
of thousands of
people every year

Special and
bespoke sizes
available in
both ranges

Unbeatable
customer service
offering order
processing and
technical support
plus installation
training



Elevate

Sliding & folding shower doors

Designed for the Care Sector

Easier fitting, easier opening and easier cleaning.

Re-designed for all:

Arthritis sufferers - Operating the doors requires minimal grip

Visually impaired - Contrasting colour schemes provide optimum visibility

Carers and users - Smooth, quick and easy to open mechanisms

Infection control - Unique market leading wipe clean surface layer with no dirt traps

Safer to use - Folding door hinges are fully enclosed, eliminating any risk of finger trapping

Shatterproof - PETG panel construction for guaranteed safety

Dementia sufferers - Non reflective panels provide cognitive calm



Designed and manufactured to the highest standards for safety and durability



CE tested to
BS EN 14428



FreeGlide

Elevate

Raising the standards for folding and Sliding doors

User Benefits

■ Intuitive & Easy to Use

Elevate door lift solution

■ Easy to Grasp Handle

For users with limited grip & mobility by simply placing your hand through and lifting

■ Colour Contrasting Design

To assist users who are partially sighted

■ Double Contact Floor Seals

To minimise water leaks

■ Easy Clean Design

To minimise areas where dirt can build up with concealed moving parts and screwheads and clean wipe down surfaces

■ SMART Safety Features

Enclosed hinges eliminate dirt and finger traps

Elevate EasyLift

Simply rotate the paddle 90° to lift the doors clear of the floor



Elevate Latch Handle

No grip required for users with limited strength & mobility by simply placing your hand through and lifting



Internal Glazing Seals

Eliminate dirt traps and provides a stay clean longer finish



Enclosed Hinges

To eliminate dirt and finger traps

Elevate Bi-Fold shower door shown

LIFETIME
GUARANTEE

Installer Benefits

- Ready to install out of the box
- Pre-drilled fixings holes
- Next day delivery
- All fixings provided
- Door height setting tool supplied as standard
- Pre-assembled handles
- Pre-cut coving profiles for shower trays, tiled and vinyl floors
- Slotted compensator for easier installation with 25mm adjustment
- Fully detailed installation instructions provided
- Average install time of 20 minutes

Specifier Benefits

- Available in wide range of options and sizes
- Easy to replace seal and serviceable parts
- Designed and built by Impey the industry leaders
- Lifetime guarantee
- Special and bespoke sizes available to order
- Unbeatable customer service and technical support
- Next day delivery

FreeGlide

Assured quality and advanced design features from the Industry's leading brand



User Benefits

EASY On The Eye

Considered anti-glare surfaces for users with dementia

EASY Clean Design

Thoughtful design to minimise areas where dirt can build up with concealed moving parts and screwheads and clean wipe down surfaces

SMART Safety Features

Enclosed hinges eliminate dirt and finger traps



EASY Action

Easy to use FreeGlide rising hinge



EASY Clean

Unique sliding door unclip pivot mechanism, no tools required

EASY Grip

No grip required for users with limited strength & mobility by simply placing your hand through and sliding

Installer Benefits

- Next day delivery
- All fixings provided
- 25mm adjustment in the wall channels
- Door height setting tool supplied
- Slotted compensator for easier installation
- Average install time of 20 minutes
- Fully detailed installation instructions provided
- Easy Fitting - Floor to rail pole, using Tiger fix to anchor at the base - no through the floor or tray drilling required
- Pre-drilled fittings

Specifier Benefits

- Easy to replace seals & serviceable parts
- Designed to suit most applications
- Unbeatable customer service and technical support
- Special and bespoke options available
- Next day delivery
- Lifetime guarantee
- Available in wide range of options and sizes

LIFETIME
GUARANTEE

FreeGlide sliding door shown


Door options for corners

Available for trays and decs



Option C

Fixed 750mm wide half height fixed panel, floor to ceiling pole




Option D

Two fixed half height panels, one 400mm on front, with floor to ceiling poles with one door hung from each panel




Option N

One tri-fold meeting fixed 400mm panel with floor to ceiling pole



Option P

Bi-parting doors meeting on the corner



Option R


One bi-fold meeting fixed 400mm panel with floor to ceiling pole

All corner options can be supplied with L-shaped curtain rail and curtain.

All door configurations are stocked left or right handed and in sizes to fit the desired tray and dec dimensions.


Special and bespoke sizes can be made to order in both ranges.

(left hand illustrated).




Option E

400mm fixed half height panel with floor to ceiling pole and a pair of bi-fold doors meeting on corner




Option F

Two fixed half height panels, one 300mm on front, with two floor to ceiling poles with one door hung from each panel




Option V

400mm fixed panel with a pair of half height doors meeting on the corner




Option X

Fixed panel, floor to ceiling pole with two single doors




Option 1

Pair of sliding doors meeting on the corner




Option H

Two half height bi-fold doors meeting on the corner



Option J

One bi-fold and single door meeting on the corner



Option 6

Fixed 400mm half height panel, floor to ceiling pole with pair of sliders meeting a return pair of sliders on the corner

Special and bespoke sizes available in both ranges

For a comprehensive list of all tray and dec sizes visit www.impeyshowers.com or call our technical helpline: 01460 258 682


Door options for alcoves

Available for trays and decs




Option G

Two half bi-fold doors meeting in the middle



Option K

Bi-parting doors meeting in centre, straight curtain rail and curtain



Option 2

One set of sliding doors hung off one side latching on opposite wall




Option 3

One fixed half height 400mm panel with floor to ceiling pole and one sliding door hung from opposite wall



Option M

One bi-fold door meeting fixed 400mm panel with floor to ceiling pole




Option S

One bi-folding door, with straight curtain rail and curtain





Option 4

Pair of sliding doors hung between walls meeting in middle



Option 5

One 400mm fixed half height panel with floor to ceiling pole, one sliding door hung off pole and latching on opposite wall



Option T

One Bi-Fold door meeting single door, with straight curtain rail and curtain



Option W

One Tri-Fold door, with straight curtain rail and curtain

Special and bespoke sizes available in both ranges

For a comprehensive list of all tray and dec sizes visit www.impeyshowers.com or call our technical helpline: 01460 258 682

Curtain Rails

Description

3 types of rails are available: U shaped, Corner rails and straight rails in many standard sizes.

All the rails are white and made from powder coated aluminium and come complete with fixings which includes, all brackets, screws, rawl plugs, ceiling support rods and shower curtain hooks and gliders

Product codes & sizes

Curved Rails

SRL-9090W	CURVED RAIL 900 x 900 + FIXING KIT WHITE
SRL-120120W	CURVED RAIL 1200 X 1200 + FIXING KIT WHITE
SRL-13090W	CURVED RAIL 1300 X 900 + FIXING KIT WHITE
SRL-15090W	CURVED RAIL 1500 X 900 + FIXING KIT WHITE
SRL-150120W	CURVED RAIL 1500 X 1200+FIXING KIT WHITE
SRL-18090W	CURVED RAIL 1800 x 900 + FIXING KIT WHITE



Straight Rails

SRS-130W	STRAIGHT SHOWER RAIL 1.3M+FIXING KIT WHITE
SRS-200W	STRAIGHT SHOWER RAIL 2M+FIXING KIT WHITE
SRS-250W	STRAIGHT SHOWER RAIL 2.5M+FIXING KIT WHITE



U Rails

SRU-100100W	U RAIL 1000x1000x1000 +FIXING KIT WHITE
SRU-115115W	U RAIL 1150x1150x1150 + FIXING KIT WHITE
SRU-12390W	U RAIL 900 X 1230 X 900 + FIXING KIT WHITE
SRU-13390W	U RAIL 900 X 1330 X 900 + FIXING KIT WHITE
SRU-145120W	U RAIL 1200x1450x1200 + FITTING KIT WHITE
SRU-16080W	U RAIL 800x1600x800 + FIXING KIT WHITE
SRU-7481W	U RAIL 810 x 740 x 810 + FIXING KIT WHITE
SRU-8686W	U RAIL 860 x 860 x 860 + FIXING KIT WHITE
SRU-9595W	U RAIL 950 x 950 x 950 + FIXING KIT WHITE



Curved rail support rod

Description

The 1.2M trimable curtain support rod is for installations with high ceilings

Product code & size

SR-WBKW	CURVED RAIL SUPPORT ROD 1.2 m + FIXING KIT WHITE
---------	--




Spare Hooks and Gliders

Description

Spare Curtain rail hooks and gliders for curtain attachment

Product code & size

SR-HGK	SPARE HOOKS & GLIDERS
--------	-----------------------




Window Bridging Kit

Description


The window bridging kit provides a simple solution in situations where a window causes an obstruction during curtain rail installations.

This kit can be used inside the widow opening, outside the window opening and dog leg around the window opening.


Pack contains: 1.3M Rail, 1.2M Curtain, 2 corner brackets, pack of hooks and gliders and 2 wall brackets and fittings.



Dog Leg Installation
Window Bridging Kit



Alcove Window Bridging Kit



Outer Window Bridging Kit

Product codes & sizes

SR-WBKW	WINDOW BRIDGING KIT C/W 1.2 DROP CURTAIN WHITE
---------	--

Extension Channel Pack


Description

The extension channel pack is used when you need to increase the width of a door or fixed panel from the wall. Each extension kit will increase the width by 20mm.

In a corner installation 2 packs will be necessary and 2 channels can be combined to increase by 40mm
Pack contains: 1 wall channel, end cap & fittings

Product codes & sizes

SR-WBKW	WINDOW BRIDGING KIT C/W 1.2 DROP CURTAIN WHITE
---------	--



Freestanding Carer Screens

Description

Lightweight portable freestanding shower screens offer an instant solution for shower areas that do not require a permanent fixture. 750mm High and made from white powder coated aluminium with grey handles and flexible floor seals.

Semi-transparent, anti-shatter PETG panels

Product codes & sizes

FG-IPS1W	FREESTANDING SCREEN 2 PANEL 650MM
FG-IPS2W	FREESTANDING SCREEN 2 PANEL 750MM
FG-IPS3W	FREESTANDING SCREEN 2 PANEL 1000MM
FG-IPS4W	FREESTANDING SCREEN 4 PANEL 2 x 400MM wide + 2 x 225MM wide



Elevate & Freeglide

Half height shower door comparison



	Impey Elevate	Impey FreeGlide
Doors		
Door Height	750mm	750mm
Door Lift Mechanism	Elevate Easy Lift	✗
Rising Butt Hinge	✗	✓
360° Bi-Fold hinge	✓	✓
180° wall hinge	✓	✓
Doors stow in open position	✓	✗
Double water tight floor seal	✓	✓
PETG Glazing	✓	✓
Easy clean hidden glazing seal	✓	✓
Concealed Bi-Fold Hinge	✓	✓
Fixing Screw Covers	Easy Clean Cover Strip	Cover caps
Easy to replace bottom seals (no tools required)	✓	✓
Anti Finger Trap Design	✓	✓
No Tools required to clean sliding door	✓	✓
Handles		
Soft grip handles	✓	✗
Factory fitted handles	✓	✗
Handle screw cover caps	✓	✓
Colour contrast for partial sighted	✓	✓
Installation		
Door Height Setting tool	✓	✓
Compensator adjustment	25mm	25mm
Fixings included	✓	✓
Approx install time	20 mins	20 mins
Floor to ceiling telescopic pole	✓	✗
FCP anchoring install requires Vinyl or Shower tray penetration	No	No

Impey Showers Limited,
Conquest Business Park,
Cad Road, Ilton, Somerset, TA19 9EA

Switchboard: 01460 256 080
Sales: 01460 256 090
Technical Helpline: 01460 258 682
Fax: 01460 259 800

www.impeyshowers.com
Email: orders@impeyshowers.com

 /Impeyshowers

 @impeyshowers

A Coram Group Company. Errors and Omissions Excepted



Elevate™ (class 11) – Registration number UK00003147703

Freeglide™ (class 11) - Registration number UK00003147699

Lift mechanism - Patent pending GB2524574

impey

THE WETROOM SPECIALIST